

AUTO KARL FISCHER TITRATION APPARATUS

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

www.kerone.com

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


“Enhance the value of customer operation through our customer need centric engineering solution”

Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.



Introduction to Auto Karl Fischer Titration Apparatus

Auto Karl Fischer Titration Apparatus is employed in accurate determination of moisture in various samples. The instrument is constructed in a mild steel cabinet which has been powder coated with built magnetic stirrer and attached titration. The controls mounted on the front panel makes it very easy to be operated. DBK Karl Fischer Titrator is used in chemical, pharmaceutical, food, cosmetics, oils and many other industries involved in quality control and R&D Laboratories.



Type :	Auto zero burette, capacity 10 ml with glass valve
Resolution :	0.05 ml
Accuracy :	10 PRM - 25 gm of sample
Resolution :	Amber colour reservoir, 250 ml for longer stability, Facility to transfer reagent from burette back to reservoir.
Electrode :	Twin platinum Electrode
Vessel :	Specially designed moisture tight reaction vessel for small quantity sample titration
Stirrer :	Motorized Teflon coated magnetic stirrer.
Solenoid :	Special DBK design, no tedious solenoid valve setting
Display :	10 segments, LED bar display to indicate the level of titration
End Point :	Audio and Visual alarm
Time :	Display 10 adjustable
Dimension :	8 Kg approx. To be arranged by user

kerone/tablets-distintegratio-test-apparatus

www.kerone.com/tablets-distintegratio-test-apparatus.php

3D View

Trusted Partner



Our Clients



KERONE

Kerone Engineering Solutions Limited

UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

EMAIL

info@kerone.com | sales@kerone.com
marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

WEBSITE

www.kerone.com | www.kerone.net
www.keroneindia.com

UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

Phone

+91-22-28150612/13/14
+91-251-2620542/43/44/45/46