



# DISSOLUTION RATE TEST APPARATUS

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

[www.kerone.com](http://www.kerone.com)

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

# About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


**“Enhance the value of customer operation through our customer need centric engineering solution”**

## *Mission*

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

## *Vision*

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.





Introduction to

# Dissolution Rate Test Apparatus

Dissolution Rate Test Apparatus designed and engineered by KERONE is of high precision and widely used by the quality control and R&D department in the pharmaceutical industry to carry out test of tablets and capsules in accordance with the USP standard. Dissolution Rate Test Apparatus comprises of 4 Main Parts.

1. Water bath
2. Variable Speed Motor
3. Cylindrical Glass Vessel
4. Transparent Cover At Top

A round bottom glass jar is positioned within the bath having acrylic lid which allows a stirring shaft to pass through it. Dissolution Rate Test Apparatus has shaft which is suspended from the top and is activated by a motor, the variable speed electronics motor provides the desired speed, digital pre-set timer with alarm is the added feature of the equipment.

The size, capacity and speed vary based on the design parameters of Dissolution Rate Test Apparatus which solely deepened on the client's requirement.

[kerone/dissolution-rate-test-apparatus](http://kerone.com/dissolution-rate-test-apparatus)

[www.kerone.com/dissolution-rate-test-apparatus.php](http://www.kerone.com/dissolution-rate-test-apparatus.php)



# 3D View

# Trusted Partner





# Our Clients



### UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

### EMAIL

info@kerone.com | sales@kerone.com  
marketing@kerone.com

### UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

### WEBSITE

www.kerone.com | www.kerone.net  
www.keroneindia.com

### UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

### Phone

+91-22-28150612/13/14  
+91-251-2620542/43/44/45/46