



# SHAKER WATER BATH

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

[www.kerone.com](http://www.kerone.com)

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

# About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


**“Enhance the value of customer operation through our customer need centric engineering solution”**

## *Mission*

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

## *Vision*

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.



## Introduction to Shaker Water Bath

Shaker Water Bath is constructed as a double walled unit chamber with glass wool insulation from all side. The outer MS sheet is enamel painted and the inner chamber is polished with stainless steel. The working chamber is fitted with stainless steel tray with lotus clamps and is suitable for various flasks.

Tubular SS sheath heater is fitted below the platform and is controlled by digital temperature controller and is provided with a timer. The temperature ranges up to 100°C. The unit has gabbled lid added drain cock providing 40 to 160 strokes per minute and the speed is controlled by solid regulator.

<b>Construction :</b>	Water Bath is constructed as a double walled unit
<b>Inner Chamber :</b>	Stainless Steel
<b>Outer Chamber :</b>	Mild steel
<b>Lid :</b>	SS Pyramid lid
<b>Temp.Range :</b>	5°C above normal to 99.99°C
<b>Temp Control :</b>	Uses Electronic Digital Display Temperature Indicator cum Controller

<b>Shaking :</b>	By AC/DC Geared Motor
<b>Rpm Rang :</b>	10 to 150 RPM
<b>Speed Control :</b>	By Electronic Speed Regulator
<b>Tray Capacity :</b>	6 Flasks of 250 ml. 9 Flasks of 250 ml. 12 Flasks of 250 ml. 18 Flasks of 250 ml.



[kerone/shaker-water-bath](http://kerone.com/shaker-water-bath)

[www.kerone.com/shaker-water-bath.php](http://www.kerone.com/shaker-water-bath.php)

# 3D View

# Trusted Partner



# Our Clients



**KERONE**

Kerone Engineering Solutions Limited

### UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

#### EMAIL

info@kerone.com | sales@kerone.com  
marketing@kerone.com

### UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

#### WEBSITE

www.kerone.com | www.kerone.net  
www.keroneindia.com

### UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

#### Phone

+91-22-28150612/13/14  
+91-251-2620542/43/44/45/46