



TUBULAR HEATERS

Environment Friendly Engineering Solution Company

















In Association with SVCH-Technologii, Moscow (Russia)

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries).

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


Enhance the value of customer operation through our customer need centric engineering solution


Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.





Introduction to

Tubular Heating

Tubular heating elements of Kerone are the most versatile and the best suited solutions to a large number of applications. Kerone's tubular elements are factory-configured to almost any shape or size. Custom bending diameters can be made upon request.

Typically using steel, stainless steel, Incoloy, inconel or titanium alloys, tubular elements are often regarded as the foundation of all heating elements.

These heating elements have a strong outer sheath to help protect the heater from physical stress and uses high quality alloys to allow efficient heat transfer from resistance coil to your heating medium Depending on their rating, sheath and shape, tubular elements are used in a variety of heat applications (conduction, convection, radiation heating) that require process temperatures of up to 750°C (1382°F) to heat liquids, gases and solids.

A variety of diameters are available to help adjust watt densities in your application to design these electric heaters for best performance and long life.

Standard and custom made terminal pins allow for easy installation and maintenance. Kerone uses high quality magnesium oxide to allow for efficient heat transfer from resistive coil to your heating medium whether it is air, liquid or solid. Bending radiuses are designed with careful expertise to allow for optimal performance within your application.



3D View

Trusted Partner























Our Clients





























































































UNIT I

B/10,Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

EMAIL

info@kerone.com | sales@kerone.com marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

WEBSITE

www.kerone.com | www.kerone.net www.keroneindia.com

UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

Phone

+91-22-28150612/13/14 +91-251-2620542/43/44/45/46