

TUNNEL DRYERS

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

www.kerone.com

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


“Enhance the value of customer operation through our customer need centric engineering solution”

Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.




Introduction to Tunnel Dryer

Tunnel dryer commonly used to get manufactured with the hot air for drying of material, however the advancement in the heating technology has enabled the tunnel dryer with advanced and faster drying techniques such as microwave/ RF/ Infrared.

Typically tunnel consist of door at one end that opened as closes when material is to be fed, when trolley is pushed or travelled in tunnel then door get closed and the hot air is circulated within tunnel with the help of fans, on completion of drying process the outlet gate opens and the material is collected.

Air movement, circulation, and heating methods vary in tunnel dryers. Three different arrangements, namely, counterflow, parallel flow, and combined flow.



Features

- Insulated inner surface to eliminate energy loss and maximum energy efficiency.
- High quality heat exchanger confirms stumpy air moisture.
- Enhanced handling and improved operational life.
- Roller or Belt conveyor to move the material.
- Strongly constructed to endure moisture material and changing conditions .
- Air circulation system to improve airflow and decrease drying time.
- Available in multiple length and width ratio.
- Accurately designed and calibrated control mechanism .
- Built in both Automated or semi-automated structure .
- Minimal environmental losses.
- Touchscreen control panel to set temperature and conveyer speed.
- Technology of choice can be accommodated .
- Uniform drying of all type of material fed as input.
- Long-lasting powder coating .
- Multiple drying zones can be provisioned.

Application

- Drying of Fruits and Vegetables.
- Drying of ink and paper.
- Drying of coats in Coating line.
- Drying of packaging materials.
- Drying of plastics caps, spoons, injectable vials, containers.
- Drying of Pharmaceutical tablets and powders .
- Sterilization of containers and packaging materials.
- Drying of textile fabrics.
- Drying of fresh fruits, roots, vegetables and eggs.
- Drying of confectionaries and food processing.
- Drying of moulded Ceramics.

3D View



Trusted Partner



Our Clients



KERONE

Kerone Engineering Solutions Limited

UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

EMAIL

info@kerone.com | sales@kerone.com
marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambernath (East), Dist. Thane- 421506

WEBSITE

www.kerone.com | www.kerone.net
www.keroneindia.com

UNIT III

Plat NO. W-104, Addl. MIDC Anandnagar, Ambernath East, Thane- 421506. (India)

Phone

+91-22-28150612/13/14
+91-251-2620542/43/44/45/46